

INTRODUCTION TO SUPERNOVAE

According to the Annals of the Sung Dynasty (the Sung-shih), on the first day of the chi-ho reign period, during the 5th month, on the chi-chou, a “guest star” appeared to the south east of Tian-kuan. The guest star was so bright that it could be seen during the daytime, and it remained so for 23 days. After that, it gradually dimmed, finally fading from visibility after two years. Japanese records also mention the star.



Crab nebula

This impressive object may have also been recorded in disparate cultures around the globe, including Europe, Asia, and possibly even North America.

However, the date given in the Chinese annals, by our modern reckoning, would have been July 4, 1054. At that time Europeans were in the throes of the Dark Ages, and the Norman Invasion was just a few years away. Perhaps they were too occupied with worldly concerns to mark down the appearance of a celestial visitor (though the Bayeux Tapestry, created just a few years later, has a clear depiction of Hally’s comet). Perhaps whatever record existed has been lost. In any case, no definitive European record of the event has ever been found.


Since the appearance nearly a millennium ago of the Sung “guest star” there have been only two other similar objects seen in our **Galaxy**. One occurred in 1572 in the constellation Cassiopeia. This was observed by the Danish astronomer Tycho Brahe and bears his name. It became bright enough to be visible in full daylight. The other star appeared in the constellation Ophiuchus in 1604 and was studied by Tycho’s student and collaborator, Johannes Kepler, though it was seen earlier by several other people. Kepler’s star, while not as bright as Tycho’s, was still as bright as Jupiter. Since the ap-

pearance of Kepler’s star, no others have been seen in the Galaxy.

This does not mean, however, that no additional similar objects have been observed. In 1885 a new star appeared in the center of the Milky Way’s companion galaxy M31, in the constellation of Andromeda. It reached a peak brightness of 6-7th **magnitude**, making it easily visible in small telescopes against the background glow of the galaxy itself. The object is important for historical reasons: it was used to argue, incorrectly, that the great spiral nebula of Andromeda was not a galaxy in its own right, but instead a much smaller object inside the Milky Way. The astronomer Harlow Shapley, in a famous 1920 debate with Heber Curtis on the nature of the spiral nebulae, assumed the “new star” was a relatively low-energy event, and that meant it was close by as such things go. His argument was later shown to be wrong. Edwin Hubble measured the distance to the Andromeda nebula and proved it was well outside our Galaxy, and was, in fact, an independent system of stars – a galaxy on a par with the Milky Way. The great distance of Andromeda meant that the star seen in 1885 was very energetic indeed.

Though these guest stars are rare events in any given galaxy, the universe contains many, many galaxies. With the advent of large telescopes in the 1920s and 30s it was soon noticed that guest stars could be seen quite often if one looked at many galaxies. The fact that the guest stars were nearly as bright as the galaxies in which they occurred meant that they were enormously energetic. Their great brightness and release of energy prompted the astronomer Fritz Zwicky to dub them **supernovae**, because they appeared similar to, but far brighter than, the “novae” seen in our galaxy. Supernova is the name by which we still call them today, though we now know they have nothing in common with novae except a name: supernovae are exploding stars, whereas a nova is the much smaller explosion of the atmosphere of a **white dwarf** star that is acquiring matter from a nearby binary companion star.

The Crab Nebula is located just above the star marking the tip of the lower horn of Taurus, the Bull.



Recent observations of supernovae similar to the one seen in Andromeda in 1885 have allowed us to measure the vast size and expansion rate of the universe. To our great surprise, these extremely distant supernovae indicate that the expansion is accelerating, rather than slowing down. These observations indicate that approximately 70% of the energy in the universe is something never before observed, with properties heretofore only imagined in the most speculative of our theories of nature. Far from showing that the universe is small, as Shapley argued, supernovae have shown us that the universe is not only vast, but much stranger than we had imagined.


If you point a telescope toward the patch of sky described in the Chinese records from 1054, just a few **degrees** north and east of Aldebaran, the “eye” of Taurus, the bull, you will find a faintly glowing cloud. This is the Crab **Nebula**. It is the remains of a star that exploded some 7000 years ago. The explosion was seen on Earth only 1000 years ago because it was so distant that its light required 6000 years to reach us; the Sung inhabitants were seeing the explosion 6000 years after it happened. The

Crab Nebula is a **supernova remnant**, the debris from an exploded star. It is still expanding today at more than 1000 km/s. Inside the nebula is the Crab pulsar, the compact remnant of the core of the exploded star. The pulsar is a highly magnetized, rapidly spinning **neutron star**, a class of object that is among the most bizarre found in nature. A mere teaspoon of the

Crab pulsar would weigh more than a billion tons.

In the remainder of this education unit, you will explore the amazing properties of supernovae and neutron stars. You will also begin to learn about some of the tools scientists use to understand them.

The activities and explanations in this unit all deal with the explosions of massive stars. These are called Type II supernovae. There is another type of supernova, called Type I, which involves the explosion of a small, dense core of a more sunlike star (in fact, the supernova of 1885 was just this type of explosion). While fascinating in their own right, Type I supernovae are not covered in this unit.



WHY STARS EXPLODE

The stars in the sky seem eternal and unchanging.

But that's an illusion. Like all things, stars are born, live out their lives, and eventually die, doomed to fade away. Stars like the Sun, which have a relatively low mass, age gracefully and die quietly after billions of years. But massive stars, with more than ten or so times the mass of the Sun, "do not go gently into that good night, but instead rage, rage against the dying of the light". They explode in a catastrophic detonation, sending their outer layers screaming outwards at a few percent of the speed of light: what astronomers call a supernova.

The seeds of a star's ultimate destruction are planted deep in its core, where its energy is generated. Stars are giant balls of gas, and when a gas is compressed it heats up. Because stars are so big they have a lot of gravity, so at the core of a star the pressure is intense. This means they get very hot, hot enough to smash together **atomic nuclei**. And when nuclei collide, they can stick together in a process called fusion. This process releases a lot of energy (in fact, it's what makes hydrogen bombs explode), which heats up the core. In a stable star like the Sun, the inward crush of gravity is balanced by outward pressure caused by the heat.


Already we see that the mass of the star is important: it provides the gravity needed to compress the core. The higher the mass of the star, the more the core is compressed, and the hotter it can get. Fusion reactions depend strongly on temperature; the higher the temperature, the faster the reaction proceeds. As we'll see, this is critical later in the star's life.

Initially, the star fuses hydrogen into helium. Like ash in a fire, the helium builds up in the core, but it does not fuse because helium takes a lot more pressure and heat than hydrogen does to fuse. If the star is massive enough, though, it can ignite helium fusion in its core. The helium fuses into carbon, which then starts to pile up in the core. In very massive stars this process repeats again and again, fusing lighter elements into heavier ones: hydrogen to helium, helium to carbon, carbon to neon, neon to oxygen, oxygen to silicon, silicon to iron. The star's core starts to look like an onion, with layers nested inside one another.

At every step, the process generates more heat, and the fusion goes ever faster. A star may fuse hydrogen into helium for millions or billions of years, but by the time it starts to fuse silicon into iron, it may take mere days. As iron piles up in the core, the star is headed for disaster.

Why? Because up until iron, all the fusion reactions have produced energy in the form of heat. However, there is not enough heat and pressure to fuse the iron nuclei, so once iron builds up in the core, the star's source of energy shuts off. Worse, the **electrons** in the core combine with the **protons** in the iron nuclei to form **neutrons** - and the electrons were crucial to give the star support as well. When they are removed from the star's core, things quickly go bad.

Without a source of support, the core suddenly collapses. In a thousandth of a second the tremendous gravity of the core collapses it down from thousands of kilometers across to a ball of compressed matter just a few kilometers in diameter. This is a bit like kicking the



Near the end of a massive star's life, the fusion occurs in shells around the core, like the layers of an onion.

legs out from under a table. Just like when Wile E. Coyote suddenly realizes he is no longer over solid ground and starts to fall, the outer layers of the star come rushing down. They slam into the compressed core at a significant fraction of the speed of light.

This does two things: it sets up a huge rebound, sending the outer layers of the star back out, and also releases a vast number of **neutrinos**, subatomic particles that carry away most of the energy of the collapse. The gas from the outer layers absorbs only a small fraction of these neutrinos, but that's still a lot of energy: it's like lighting a match in a fireworks factory. The outer layers of the star explode upwards, and several **solar masses** of doomed star (containing the elements that were produced before the explosion) tear outwards at speeds of many thousands of kilometers per second.

As the star explodes, the expanding gas deep inside is so hot that it can undergo temporary fusion, creating elements as heavy as uranium. This, plus other **radioactive** elements created in the explosion, dumps even more energy into the gas, causing it to glow. The expanding gas is called a supernova remnant; it will expand for hundreds of thousands of years, eventually cooling and becoming so thin it merges with the tenuous gas between the stars. Sometimes the gas from the remnant will hit and mix with gas that is forming new stars, seeding it with the heavy elements formed in the explosion. The iron in your blood and the calcium in your bones were formed in the supernova explosion of a massive star millions of years before the formation of the Earth itself.



These pictures show the location of Supernova 1987a before it exploded (left), and during the explosion (right)

And what of the core? Like the life of the star itself, the fate of the core depends on its mass. In relatively low-mass stars like the Sun, the star never explodes at all. The core is not massive enough to fuse helium, so helium simply builds up. Or perhaps helium does

fuse, but then the star is not massive enough to fuse the resulting carbon. In any event, the outer layers of the star are blown off by a solar wind over millions of years, and the naked core, unable to generate its own heat, simply cools and fades away. A star that consists of this revealed core is called a white dwarf.

If the core is more massive, between 1 and 3 times the Sun's mass then things are different. The pressure from the collapse

slams electrons into protons, creating neutrons. The core shrinks to a size of a few kilometers across, and is comprised almost totally of these neutrons. The collapse is halted by the neutrons themselves, which resist the pressure. Not surprisingly, this object is called a neutron star.

And for more massive cores? Even the neutrons cannot resist the pressure created by more than about 3 times the Sun's mass when it collapses. The core implodes, and nothing can stop it. Its gravity increases hugely, and anything that gets too close will be drawn in, even light. It has become a black hole.

This is more than just a guess. By studying supernovae, supernova remnants, and other exotic objects, astronomers have discovered all this and much more. If you want to continue reading about this and get more information, check out the Resources list in Appendix B.



*The Elephant Trunk Nebula
David De Martin (<http://www.skyfactory.org>), Digitized Sky Survey*